

450 Butler Street Phone: 412-788-2444 Fax: 412-788-0111 Fmail: sales@unireminc.com

# **SAFETY DATA SHEET**

Prepared in accordance with EC directive 91/155/eec and subsequent directive

Effective date 1-1-2016

#### **OIL BUSTER XL**

### 1. CHEMICAL IDENTIFICATION

Product Name: OIL BUSTER XL

Manufacturer: UNIVERSAL REMEDIATION, INC

450 BUTLER STREET PITTSBURGH, PA 15223

(412) 788-2444

FAX: (412) 788-1111 Emergency Number: 877-788-2444

Contact Person: FRED JOHNSON CORPORATE HEAD OFFICE USA

Recommended Use: Sorbent used on Hydrocarbon / oil spills and to perform soil remediation, not to be used for chemical or acid spills

#### 2. HAZARDS IDENTIFICATION

GHS Label: Not Applicable

**GHS** Classification

HEALTH	ENVIRONMENT	PHYSICAL
NONE	NONE	NONE

### **Emergency Overview**

This is a non-combustible, non-reactive, granular product, supplied in the form of small particles or beads. Exposure to airborne powder may be slightly irritating to eyes, nose and throat, only at very high exposure levels. Firefighters should wear self-contained breathing apparatus and full protective clothing. Use extinguishing methods suitable for surrounding fire.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT NAME % EXPOSURE LIMITS SEC 8 INFO

Natural Cellulose <u>YES</u> <u>NO</u> <u>YES</u>

Cera Alba X X

The sorbent product is effective on hydrocarbon / oil spills that have occurred on dry surfaces, allowing for increased recovery of the spilled product. The product, once absorbed will bind with hydrocarbons; form an OIL BUSTER XL and Hydrocarbon matrix. The product effective for In Situ or Ex Situ biore mediation

## 4. FIRST AID MEASURES

Eyes: Flush eyes immediately with plenty of water for at least 15 minutes. Consult

Physician if irritation persists.

Skin: Wash skin thoroughly with mild soap and water

Inhalation: Move person to non-contaminated air. Call a physician if irritation persists.

Ingestion: No need for first aid is anticipated if material is swallowed.

#### 5. FIRE FIGHTING MEASURES

General: The wax will burn at high temperature. As with other organic material, any

dust that is generated may be explosive if mixed with air in critical

proportions and in the presence of a source ignition.

Flashpoint: > 200°C / 392°F.
Flammability: Not available

Auto Ignition

Temperature: Never been reported

**Hazardous Combustion** 

Products: Not Applicable

Fire Fighting Instructions: Wear full protective clothing; including helmet, self-contained positive

pressure or pressure demand breathing apparatus, protective clothing and

facemask in accordance with NFPA regulations

#### 6. ACCIDENTAL SPILL / RELEASE MEASURES

General: The products are not considered hazardous material. The function of this

product is to aid in spills / releases of oil – based products that may be

regulated under Federal, state, and local authority.

Large/Small Spill: Collect spill using a vacuum cleaner with a HEPA filter recovered products in

a closed container - Do not dry sweep.

Waste Disposal: Products as produced do not contain any material regulated as hazardous.

When product is used to aid in clean up of oil – base product, the treated oil product must be tested to determine its status as a regulated waste and

disposed of in accordance with all applicable regulations.

### 7. HANDLING AND STORAGE

Precautions: Avoid inhalation of dusts. Avoid contact with skin and eyes. Wash

thoroughly after handling. Keep container closed & dry.

Storage Requirements: Store in a dry cool area, away from heat and sources of ignition

Incompatibility: Detergents / Surfactants and strong oxidizing agents

#### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation: Whenever dusts are generated, use appropriate local exhaust ventilation to keep

exposures below the regulated limits.

Chemical Name: OSHA: TW A-STEL ACGIH: TW A-STEL OTHER: TW A-STEL

Exposure Limits (OSHA) Total dust: 15mg/m<sup>3</sup>

Particulates (not otherwise regulated) Respirable Fraction: 5mg/m<sup>3</sup>

Health: 0 Flammability: 1 Reactivity: 0

NFPA Personal Protective Equipment

Eye Protection: Wear safety glasses with side shields.

Skin Protection: Wear cotton, rubber or other appropriate work gloves, if

necessary for type of operation.

Protective Clothing: Coveralls, apron.

Respiratory Protection: Not normally needed use NIOSH approved dust

respirator if excessive levels of dust are present.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: fine powder like particles

Odor and Appearance: Tan / Amber

Specific Gravity (density): 0.97 gm / cm³ @ 20° C

**Boiling Point:** Not applicable Vapor Pressure: Not applicable Percent Volatile: Not applicable Vapor Density: Not applicable Softening Point: pH: Not applicable Solubility in H<sub>2</sub>O: Insoluble Freezing Point: Not applicable Evaporation Rate: Not applicable

Viscosity: 8 – 12 cST @ 100° C

## 10. REACTIVITY AND STABILITY

Stability: Stable at temperatures below 200°C / 392° F.

Conditions to Avoid: Sparks, flames, and exposure to heat.

Hazardous Polymerization: Will not occur

Incompatibility: Detergents & Surfactants

Decomposition Products: Thermal decomposition can produce a variety of products which

may include oxides of carbon and nitrogen

### 11. TOXICOLOGICAL INFORMATION

Eye effects: Particles may cause mechanical irritation and can include symptoms of

irritation and redness.

Skin effects: Not expected to cause skin irritation

Acute Oral: No adverse health effects are known for this product, though ingestion may

cause transient irritation of throat, stomach and gastrointestinal tract.

Chronic effects: Long-term skin contact with this product may lead to depletion of natural

skin oils.

FDA: GRAS (TITLE 21 CFR 184.197.3)

### 12. ECOLOGICAL INFORMATION

Ecological Information: None known, no bioaccumulation is expected as product is readily

Biodegradable

#### 13. DISPOSAL CONSIDERATION

None needed as readily Biodegradable, when used to recover spilled hydrocarbons, local and national regulations need to be considered

## 14. TRANSPORTATION INFORMATION

This product is not regulated as a hazardous material by:

United States (DOT)

Canadian transportation regulations (TGD)

International Maritime Organization (IMDG) – Not a marine pollutant

## 15. REGULATORY INFORMATION

TSCA Status: All components are listed on the TSCA inventory.

CERCLA/SARA: This product does not contain any ingredient that is subject to the

reporting requirements of Section 313 of SARA and its associated

regulations.

Clean Water Act (CWA): Not hazardous

Clean Air Act (CAA): Not hazardous

RCRA: This product does not contain any component identified as

hazardous under 40 CFR 261.24. Waste must be handled in accordance with all applicable regulations. Purchaser is advised to review regulations referenced for applicability as determined by

purchaser's use of product.

STATE REGULATIONS: California – this product contains no chemical/s know to the State

of California to cause cancer, birth defects or reproductive

disorders

### INTERNATIONAL REGULATIONS:

Canadian Environmental Protection Act: All components /ingredients of this product are included

in the Canadian Domestic Substance list (DSL)

Canadian Workplace Hazardous

Information System (WHMIS): The product has not been classified in accordance with

the hazard criteria of the controlled products regulation and this SDS contains all the required information of the

controlled products regulation

European Inventory of Existing

Chemicals (EINECS): All components /ingredients of this product are included on

**EINECS** 

EU CLASSIFICATION: NONE

EU RISK PHRASE (R) AND

SAFETY PHRASE (S): NONE

# 16. OTHER INFORMATION

Revision Date: 01 February 2016

DISCLAIMER - The information contained herein is accurate to the best of our knowledge. This company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances